

## **Instruction Manual**

# LED hand lamp IN.UV 450, rechargeable

Art. 32038



#### IMPORTANT! RETAIN FOR FUTURE REFERENCE: READ CAREFULLY!

#### **TECHNICAL SPECIFICATIONS**

Model	32038
Protection class	
Protection degree	IP54
Impact protection	IK07
Nominal voltage	100-240 V~ 50/60 Hz
Output voltage	5 V === 1 A (Max.)
LED	8x SMD (front), 1x SMD+4UV LED (torch)
Lumen	450 lm (front), 80 lm (torch)
Kelvin	6500 K
Charging time	5.5 h
Operating time	4.5 h (front), 15 h 1x SMD, 50 h 4UV LED
Battery	Li-ion 3.7 V === 4000 mAh
Operating temperature	-10°C ~ +40°C
Dimensions L/B/H	251 x 57 x 40 mm
Net weight	378 g

#### PROPER INTENDED USE:

The handlamp is suitable for indoor and outdoor lighting applications.

#### WARNING / CHARGING INSTRUCTION / BATTERY TIPS

- Avoid looking directly into the beam of light, as this will result in dazzling.
- Do not use the lamp near a naked flame.
- Before using the lamp for the first time, the battery must be fully charged.
- Recharge frequently.
- Always replace the battery with an original battery.
- Do not leave the battery without charge for an extended period.
- Deep discharge risks damaging the battery.
- The light source of this lamp is not replaceable; when the light source reaches its end of life the whole lamp shall be replaced.

#### CLEANING

Do not use solvents, corrosive cleaners or the like. Use a dry or slightly moist cloth for cleaning ONLY.



Waste electrical products should not be disposed of together with household waste. Please recycle where designated facilities exists. Check with your local authority or retailer for recycling advice.

- The battery must be removed from the appliance before it is scrapped.
- The appliance must be disconnected from the main power supply when removing the battery.
- The battery must be disposed of safely.

#### WARRANTY

We do not take responsibility for any damage caused by misuse or any use that is not in compliance with the safety standards described herein.

#### **CUSTOMER SERVICES**

Contact your local importer of your specialized dealer to obtain address of our service department.

### FROM DATE OF PURCHASE RECEIPT 2 YEAR GUARANTEE ON MATERIAL OR PRODUCTION DEFECTS



KRAFTWERK Europe AG Mettlenbachstrasse 23 CH-8617 Mönchaltorf Switzerland Tel. +41-44 949 40 50 KRAFTWERK Sàrl. 25, rue du Stade F – 67870 Bischoffsheim France Tel. +33-388 48 64 50

www.kraftwerktools.com